Tingle / Zelda Triforce


Information

XTC's with 2C-B

XTC's with 2C-B

Zurich (mobile)

25.6.22



Risk assessment

2 of 4 7/1/22, 11:57 AM

2C-B is a synthetic, hallucinogenic mescaline derivative that is psychoactive even in small quantities. As 2C-B is relatively difficult to dose optimally (2 mg more or less already make a big difference), there is a risk of a bad trip and unpleasant physical effects. Doses above 25 mg are only recommended for experienced users.

3 of 4 7/1/22, 11:57 AM

Alert level



Safer Use

Testing

Have your substances tested in a Drug Checking

Drinking

Remember: Drink nonalcoholic drinks (3 dl / hour) and take breaks in the fresh air from time to time to prevent overheating / dehydration.

Testing

If you do not have the possibility to have substances analysed, first test a maximum of one third of the pill, as many high-dose tablets are in circulation.

Wait and see

Wait 2 hours after taking the tablet, as tablets with unexpected active ingredients are often in circulation, which can have a later onset of action.

Disclaimer

If you are in possession of a substance that does not appear on this page, this in no way means that it contains the expected ingredient or that it should be safe. The warnings we publish only refer to the substances listed in our Drug Checking offers, these substances pose a high risk of consumption and should not be consumed. A substance may have the same visual appearance (shape, size, colour, etc.) and yet have different ingredients or a different composition. There is no drug use without risk! Only a complete renunciation of drugs is risk-free! If you still decide to use drugs, you should at least follow the safer use rules.



4 of 4 7/1/22, 11:57 AM